

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2712	((702/57) or (702/58) or (702/65) or (702/69) or (702/71) or (702/72) or (702/74)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/07/02 18:19
L2	0	L1 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/07/02 18:19
L3	791	((702/80) or (702/83) or (702/90) or (702/118)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/07/02 18:19
L4	0	L3 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/07/02 18:19
L5	2953	((326/38) or (327/165) or (375/251)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/07/02 18:20
L6	2	L5 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/07/02 18:20
S1	5	(comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/11 22:05
S2	8	((("2003023912") or ("2003031282")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/11/10 18:16
S3	4	((("20030023912") or ("20030031282")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/11/10 18:16
S4	2196	((702/57) or (702/58) or (702/65) or (702/69) or (702/71) or (702/72) or (702/74)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/11/11 22:00
S5	0	S4 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/11 22:03
S6	625	((702/80) or (702/83) or (702/90) or (702/118)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/11/11 22:02

S7	0	S6 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/11 22:04
S8	2492	((702/183) or (702/189) or (702/193)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/11/11 22:03
S9	0	S8 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/11 22:06
S11	2500	((326/38) or (327/165) or (375/251)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/11/11 22:05
S12	2	S11 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/11 22:06
S13	2	("7263151").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/09 23:33
S14	0	(comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER") with (without or free or zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 15:32
S15	70	(comparator with sampl \$6) and clock and ("bit error rate" or "BER") with (without or free or zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 15:33
S16	6	S15 and (compar\$6 with ("bit error rate" or "BER") with (without or free or zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 15:37
S17	8	S15 and (compar\$6 with error with (without or free or zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 15:39
S18	405	(comparator with sampl \$6) and clock and (compar \$6 with error with (without or free or zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 15:41
S19	61	S18 and (compar\$6 with bit with error with (without or free or zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 15:49
S20	2	("20070159234").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/10 16:23
S21	2	S20 and (compar\$6 with error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 16:24

S22	88	(comparator with sampl\$6) and clock and (compar\$6 with error with expected)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 16:30
S23	2	("7069488").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/10 19:33
S24	2	("7263151").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/10 20:31
S25	2	("20070159234").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/10 21:12
S26	2340	((702/57) or (702/58) or (702/65) or (702/69) or (702/71) or (702/72) or (702/74)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/10 22:10
S27	0	S26 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 22:10
S28	676	((702/80) or (702/83) or (702/90) or (702/118)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/10 22:11
S29	0	S28 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 22:11
S30	2807	((702/183) or (702/189) or (702/193)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/10 22:11
S31	0	S30 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 22:11
S32	2623	((326/38) or (327/165) or (375/251)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/05/10 22:12
S33	2	S32 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 22:12
S34	2452	((702/57) or (702/58) or (702/65) or (702/69) or (702/71) or (702/72) or (702/74)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/28 22:21
S35	0	S34 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/28 22:21

S36	720	((702/80) or (702/83) or (702/90) or (702/118)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/28 22:21
S37	0	S36 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/28 22:21
S38	2730	((326/38) or (327/165) or (375/251)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/09/28 22:21
S39	2	S38 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/28 22:21
S40	10	phase\$shift with clock with (control\$6 or adjust \$6) with sampl\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:11
S41	1	(phase\$shift with clock with (control\$6 or adjust \$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:14
S42	1	(phase\$shift with clock with (control\$6 or adjust \$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6 or sequence\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:19
S43	2600	((702/57) or (702/58) or (702/65) or (702/69) or (702/71) or (702/72) or (702/74)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/27 16:27
S44	0	S43 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:27
S45	0	S43 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:27
S46	768	((702/80) or (702/83) or (702/90) or (702/118)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/27 16:27
S47	0	S46 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:27

S48	3170	((702/183) or (702/189) or (702/193)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/27 16:28
S49	1	S48 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:28
S50	0	S49 and (phase\$shift with clock with (control\$6 or adjust\$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:28
S51	0	S48 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence) and (phase\$shift with clock with (control\$6 or adjust\$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:29
S52	0	S48 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence) and (phase\$shift with clock with (control\$6 or adjust\$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6 or sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:30
S53	2871	((326/38) or (327/165) or (375/251)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/27 16:30
S54	2	S53 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:30
S55	0	S54 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence) and (phase\$shift with clock with (control\$6 or adjust\$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6 or sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:30

S56	0	S53 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence) and (phase\$shift with clock with (control\$6 or adjust\$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6 or sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:30
S57	0	S53 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence) and (phase\$shift with clock with (control\$6 or adjust\$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6 or sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:31
S58	2871	((326/38) or (327/165) or (375/251)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/27 16:32
S59	0	S58 and (comparator with sampl\$6 with clock with shift) and ("bit error rate" or "BER" or sequence) and (phase\$shift with clock with (control\$6 or adjust\$6) with sampl\$6) and (((bit adj error) or bit \$error) near (rate or test \$6 or sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/27 16:32

7/ 2/ 2009 6:45:40 PM

C:\ Documents and Settings\ mcharioui\ My Documents\ EAST\ Workspaces\ 10557104.wsp